

To: Cote, Mel[Cote.Mel@epa.gov]
From: Stein, Mark
Sent: Thur 10/15/2015 4:03:49 PM
Subject: RE: Revised Chapter 5
ELIS SEIS Chapter 5 Rewrite 10-14-15 (MS).docx

Hey Mel – Here it is again. You don't need to run it by me again. Just polish it up and go for it.

Thanks.

Mark A. Stein

Senior Assistant Regional Counsel

EPA Region 1

5 Post Office Square, Suite 100

Mail Code ORA 18-1

Boston, MA 02109-3912

Tel.: 617-918-1077

E-Fax: 617-918-0077

Email: stein.mark@epa.gov

From: Cote, Mel
Sent: Wednesday, October 14, 2015 3:29 PM
To: Stein, Mark <Stein.Mark@epa.gov>
Subject: RE: Revised Chapter 5

Ex. 5 - Deliberative Process

Melville P. Côté, Jr., Chief

Surface Water Branch
U.S. Environmental Protection Agency, Region 1

Five Post Office Square, Suite 100 (OEP06-1)

Boston, MA 02109

O – (617) 918-1553

M – (857) 294-1709

<http://www.epa.gov/region1/topics/water/ocp.html>

From: Cote, Mel

Sent: Wednesday, October 14, 2015 2:57 PM

To: Stein, Mark <Stein.Mark@epa.gov>

Subject: RE: Revised Chapter 5

Mark – Thanks very much for your quick attention to this. I merged the two versions, accepted all edits and deleted comments, and made some more minor edits (highlighted).

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process Please review and let me know what you think. Once you're satisfied, I'll send to Lynne, Stephen, and Jeannie. Thanks.

Melville P. Côté, Jr., Chief

Surface Water Branch
U.S. Environmental Protection Agency, Region 1

Five Post Office Square, Suite 100 (OEP06-1)

Boston, MA 02109

O – (617) 918-1553

M – (857) 294-1709

<http://www.epa.gov/region1/topics/water/ocp.html>

From: Stein, Mark
Sent: Wednesday, October 14, 2015 12:36 PM
To: Cote, Mel <Cote.Mel@epa.gov>
Subject: RE: Revised Chapter 5

Mel – I am attaching two files because I went ahead and edited section 5.8 in the first file, as you suggested. I then edited sections 5.8.1 and 5.8.5 in the second file. I did not go back and look at the additional tweaks you made to 5.8 while I was working on it.

Hope that's clear enough!

Mark A. Stein
Senior Assistant Regional Counsel
EPA Region 1
5 Post Office Square, Suite 100
Mail Code ORA 18-1
Boston, MA 02109-3912

Tel.: 617-918-1077

E-Fax: 617-918-0077

Email: stein.mark@epa.gov

From: Cote, Mel
Sent: Wednesday, October 14, 2015 10:36 AM
To: Stein, Mark <Stein.Mark@epa.gov>
Subject: Revised Chapter 5

As discussed, I made some edits to 5.8.1 and 5.8.5, and a few more tweaks to 5.8. Please work off this version. You might want to consider accepting my comments/edits and then editing that to try to keep it readable! Thanks.

Melville P. Coté, Jr., Chief

Surface Water Branch
U.S. Environmental Protection Agency, Region 1

Five Post Office Square, Suite 100 (OEP06-1)

Boston, MA 02109

O – (617) 918-1553

M – (857) 294-1709

<http://www.epa.gov/region1/topics/water/ocp.html>